	Amplication No.	Applicant(s)
	Application No.	Applicant(s)
	10/723,962	SHIBA ET AL.
Notice of Allowability	Examiner	Art Unit
	Bentsu Ro	2837
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate com IGHTS. This application is	in this application. If not included munication will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-4</u> .		
 3. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 		i) or (f).
2. ☑ Certified copies of the priority documents have		tion No. 09/464.890 .
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		out in another suger appropriation from the
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment	or in the Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Motion of	Informal Patent Application
` '		Informal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper N	Summary (PTO-413), o./Mail Date
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🗌 Examine	r's Amendment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examine	's Statement of Reasons for Allowance
	9.	Bentsu Ro Senior Examiner Art Unit: 2837

Application/Control Number: 10/723,962 Page 2

Art Unit: 2837

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

No prior art teaches a master motor and a slave motor synchronization control by using frequency detectors and phase counters, wherein a phase deviation calculator detects a phase deviation between the master phase counter and the slave phase counter, and wherein a Z phase pulse signal is used to clear the count in the slave phase counter, and further, the phase deviation calculator calculates the phase deviation all the times according to the counted overflow phases and the counted output phases of the master phase counter and the slave phase counter, and the deviation between the slave electric motor and the master electric motor is eliminated.

- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bentsu Ro whose telephone number is 571 272-2072. The examiner can normally be reached on WS08605.

Application/Control Number: 10/723,962 Page 3

Art Unit: 2837

4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

2/28/2007

Bentsu Ro Bentsu Ro Senior Examiner Art Unit 2837